



The Marking Xperts



Desktop And Industrial Range Label Printers
Industrial Sign Label and Flat Tube Printers
High Performance Barcode Label Printers
RFID Enabled Printers and Scanners
User Friendly Label Design Software
Automatic Print and Apply Solutions

ONYX CLASS-T4 Label Printer

Key Features & Specs.

- Maximum print speed : 100mm (4") per second.
- Print method – Thermal Transfer.
- Label gap sensor
- Label Print width capacity up to 100 mm
- Ribbon capacity upto 300 m (984')
- Suitable for Paper / PVC Die Cut Label.
- Available in both 200 & 300 dpi Print Resolution



ONYX CLASS-ISC-4200 - LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 150mm (6") per second.
- Print method - Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity upto 100 mm
- Ribbon capacity upto 300m (984')
- Optional accessories like Dispenser, Cutter, Rewinder, Internal Rewinder, Memory Expansion, Plug-In Interfaces, Real Time Clock/Calendar.
- Available in both 200 & 300 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC/Vinyl, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX CLASS-S4 Label Printer

Key Features & Specs.

- Maximum print speed : 100mm (4") per second.
- Print method – Thermal Transfer.
- Label gap sensor
- Available in both 50mm & 100 mm Label width Printers.
- Ribbon capacity up to 75 m (246')
- Suitable for Paper/PVC Die Cut Label.
- 200 dpi Print Resolution
- Available in with & without Automatic cutter.



ONYX CLASS-ISG-4200 - LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 250mm (10") per second.
- Print method – Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity upto 100mm
- Ribbon capacity upto 300m (984')
- Optional accessories like Dispenser, Cutter, Rewinder, Real Time Clock, RFID.
- Available in both 200 & 300 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC / Vinyl / RFID, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX CLASS-A PRO 500 - FLAT H.S.TUBE & LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 125mm (5") per second.
- Print method – Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Available in both 200 & 300 dpi Print Resolution
- Label Print width capacity up to 100 mm
- Ribbon capacity up to 300 m (984')
- Flat H.S. Tube printing suitable for 0.5 sq.mm upto 95sq.mm wires
- Suitable for Continuous & Die Cut PVC /Vinyl Label, Wrap around Label.
- Available in with & without Automatic cutter.



ONYX CLASS-ISM-4200 - LABEL PRINTER

Key Features & Specs.

- Available in 150mm(6"), 200mm(8"), 250 mm (10") per sec. print speed
- Print method – Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity upto 100mm
- Ribbon capacity upto 300m (984')
- Optional accessories like Dispenser, Cutter, Rewinder, Real Time Clock, Plug in interfaces, memory expansion.
- Available in 200/300/600 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC / Vinyl, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX CLASS-ISL-4200 - LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 150mm (6") per second.
- Print method - Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity upto 100 mm
- Ribbon capacity upto 300m (984')
- Optional memory expansion.
- Available in both 200 & 300 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC/Vinyl, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX CLASS-IST-4200 - LABEL PRINTER

Key Features & Specs.

- Available in 150mm(6"), 300 mm (12") per sec. print speed
- Print method – Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity upto 100mm
- Ribbon capacity upto 300m (984')
- Optional accessories like Dispenser (factory installed), Cutter (factory installed), Rewinder, Real Time Clock, linerless kit.
- Available in 200/300/600 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC / Vinyl / RFID, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX CLASS-IS-6200 - LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 150mm (6") per second.
- Print method - Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity upto 150mm
- Ribbon capacity upto 300m (984')
- Optional accessories like Dispenser, Cutter, Rewinder, Real Time Clock, Plug in interfaces, memory expansion.
- Available in 200/300 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC / Vinyl, Graphical Sign, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX WIDE RANGE OF SPECIAL LABEL & RIBBON ROLLS

Onyx offers the largest selection of Hard working, long-lasting, fast printing, repeatedly tested, industrial labeling rolls and multicolor Ribbons. One of our most popular and universal continuous supplies is Premium Vinyl Tape. It's available in 10 colors. Onyx Premium Ribbons available in 8 colors provide the highest quality in printing.



ONYX CLASS-IS-8300 - LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 100mm (4") per second.
- Print method - Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Label Print width capacity up to 200 mm
- Ribbon capacity up to 600 m (1964')
- Optional accessories like Dispenser, Cutter.
- Available in 300 dpi Print Resolution
- Suitable for Continuous & Die-Cut Labels of Paper / PVC / Vinyl, Graphical Sign, Wrap around Labels and Flat Heat Shrink Tubes.



ONYX MULTICOLOR BLANK & PRE-PRINTED DIE CUT LABELS

Onyx Blank and Pre-Printed Die-Cut Labels are ideal durable label for just about any industrial application. Use the Onyx label design software included with your Onyx printer to choose from hundreds of graphics and templates to create your own professional looking labels.



ONYX CLASS-IS-10300 - LABEL PRINTER

Key Features & Specs.

- Maximum print speed : 125mm (5") per second.
- Print method - Thermal Transfer.
- Label gap sensor & full-range adjustable black mark sensor
- Parallel, serial & USB interfaces
- Label Print width capacity upto 250mm
- Ribbon capacity upto 300m (984')
- Optional memory expansion.
- Available in both 300 dpi Print Resolution
- Optional accessories Stacker, Cutter, Unwinder, Plug in interfaces.
- Suitable for Continuous & Die-Cut Labels of Paper / PVC / Vinyl, Graphical Sign, Wrap around Labels and Flat Heat Shrink Tubes.




SAFETY & SIGN LABELS

Ensure facility compliance and communicate hazard warnings with OSHA/ANSI designs. Health and safety labels, NFPA Diamonds Labels, and RTK Color Bar Labels offered by Onyx. Health and safety labels identify facility hazards and keep workers safe with one of the toughest die-cut labels you can print to.



ONYX CONTINUOUS & LADDER TYPE FLAT HEAT SHRINK TUBES FOR WIRE MARKING

Keep cables and wires permanently identified and organized with Onyx Shrink Tubing. Identify and organize cables and wires from 0.5sqmm up to 95sq.mm with shrink tubing that prints text, numbers and graphics. Shrink tubing is made from specially formulated cross-linked polyolefin. It's a flexible material with a low recovery temperature; 2:1 or 3:1 shrink ratio, thin wall low smoke & zero halogen, ROHS compliant.



ONYX SELF LAMINATING WRAPS FOR WIRE MARKING

Keeping your wires and cables labeled, organized and chemically protected can create cost and time savings. Self-laminating wire wraps provide a quick and easy way to label, protect and organize your wires and cables.



ONLINE LABEL PRINT AND APPLY SYSTEM



Print Engines, the Automatic Print and Apply System Solution

Designed especially for integration with the markets' most reliable print and apply systems, each engine provides reliable performance for the most demanding, high duty-cycle applications around the world.





High Performance
Barcode Scanners



RFID Enabled Scanners



ONYX User Friendly Label
Design Software



Multicolor Premium
Vinyl Rolls



Multicolor Premium
Ribbon Rolls



Multicolor Premium
Die Cut Label Rolls



Barcode Labels



Void Labeling



Healthcare Labels



Pipe Labeling



Safety & Sign Labels



Drum Labeling




Continuous Flat Heat
Shrink Tube Rolls



Ladder Type Flat
H.S. Tube Rolls



Self Laminating Wire Wraps



RFID Labels



ONYX EQUIPMENTS (INDIA) PVT. LTD.

Regd. Office : No. 3, Nandini, S. No. 130/14/15,
Ram Indu Park, Near Sapling Nursery School,
Baner, Pune - 411 045, Maharashtra, INDIA.
Telefax : +91-20-65106213, 46771448
Email : salespune@onyxindia.in
Web.: www.onyxindia.in

Authorised Dealer